

Fremdlüfteraggregat FBI, IP 66, Mb. 0K SIE

Forced Ventilation Unit FBI, IP 66, drw. 0K SIE

Ventilation Forcée FBI, IP 66, dessin 0K SIE

Gruppi per ventilazione assistita FBI, IP 66, disegno 0K SIE


Grupo de ventilación asistida FBI, IP 66, diseño 0K SIE

Siemens


1LA5 / 6

Bg. 50 – 184 RBK


Stand: Mai 04





1LA5 56 - 80



1LA5 90 - 160



1LA5/6 180



Abmessungen / Dimensions / Côtes / Dimensioni / Cotas

Baugröße Frame size Hauteur d'axe Grandezza Medelo	FBI Type FBI Type FBI Tipo	Az Ø	Ah Ø	B	Bz	C	D	M	E Ø (LL)	F Ø (LL) F1	F2	G	G2	I Ø	K	X	Hh	Hz	Gr	Artikel-Nr. Item number Numéro d'article No. articolo No. articola
1LA5 056	56 RiK	107	108,5	150	82	60	90	22	M4	4,8x6	-	5,5	-	100	43,5	49	1,0	1,0	5	FV SIE 056 0A 107 150
1LA5 063	63 RBK	122	121	176	66	60	116	6	M4	4,8x6	-	5,5	-	115	57	87	1,0	1,0	5	FV SIE 063 0K 122 176
1LA5 071	71 RBK	137	136	180	88	65	115	23	M5	4,8x6	-	5,5	-	130	60,5	68	1,0	1,0	5	FV SIE 071 0K 137 180
1LA5 080	80 RBK	155	154	179	89	66	113	23	M5	4,8x6	-	5,5	-	146	61	72,5	1,0	1,0	5	FV SIE 080 0K 155 179
1LA5 090	90 RBK	172	174	203	103	85	118	18	M5	4,8x6	-	5,5	-	167	70	83,5	1,0	1,0	5	FV SIE 090 0K 172 203
1LA5 100	100 RBK	193	192	213	103	90	123	13	M5	6x9	-	6	-	185	77	92,5	1,0	1,0	5	FV SIE 100 0K 193 213
1LA5 112	112 RBK	218	216	227	113	98	129	15	M5	6x9	-	6	-	209	83	96,5	1,0	1,0	5	FV SIE 112 0K 218 227
1LA5 132	132 RBK	257	255	289	157	160	129	-3	M5	6x9	-	7,5	-	209	94	114,5	1,0	1,0	5	FV SIE 132 0K 257 289
1LA5/1LA7 160	160 S RBK	311	307	321	185	168	153	17	M6	7x14	-	6	-	275	111	75	1,5	1,5	25	FV SIE 160 0K 311 321
1LA5 180	180 S RBK	350	345	338	183	191	147	-8	M6	8,8	-	12	-	300	120	85	1,5	1,5	25	FV SIE 180 0K 350 338
1LA4 180	180 S RBK	345	345	297	142	150	147	-8	M6	7x14	-	10	-	300	120	85	1,5	1,5	25	FV SIE 180 0K 345 297
1LA6 180	180 S RBK	346	345	362	207	215	147	-8	M6	14	8,8	12	53	300	120	85	1,5	1,5	25	FV SIE 180 0K 345 362

Abweichende Abmessungen (A, B, G) sowie Sonderausführungen lieferbar!

Different diameters (A, B, G), special versions available!

Possibilità di livrer differenti lunghezze (A, B, G) modelli 'hors série'!

Deviazione di misure (B,G) sono disponibili!

Diferencias de cotas (B,G) pueden ser entregadas!

Kurt Maier Motor-Press GmbH

Birkenweg 18 * D-37589 Kalefeld

☎ (05553) 99 01-0 * 📠 (05553) 49 67 * ✉ E-mail: wm@kmmp.de * <http://www.kmmp.de>



Fremdlüfteraggregat FBI, IP 66, Mb. 0K SIE

Forced Ventilation Unit FBI, IP 66, drw. 0K SIE

Ventilation Forcée FBI, IP 66, dessin 0K SIE

Gruppi per ventilazione assistita FBI, IP 66, disegno 0K SIE


Grupo de ventilación asistida FBI, IP 66, diseño 0K SIE

Siemens



1LA7

Bg. 63 – 132 RBK

Stand: März 08



1LA7 Bg. 63 - 132



Abmessungen / Dimensions / Côtes / Dimensioni / Cotas

Baugröße Frame size Hauteur d'axe Grandezza Medelo	FBI Type FBI Type FBI Tipo	Az Ø	Ah Ø	B	Bz	C	D	M	E Ø (LL)	F Ø (LL)	G	Hh	Hz	I Ø	K	X	Gr			Artikel-Nr. Item number Numéro d'article No. articolo No. articola
1LA7 063	63 RBK	116	121	172	62	56	116	6	M4	4,8x6	5,5	1,0	1,0	100	43,5	49	5			FV SIE 063 0K 116 172
1LA7 071	71 RBK	138	136	185	93	70	115	23	M5	4,8x6	5,5	1,0	1,0	130	60,5	68	5			FV SIE 071 0k 138 185
1LA7 080	80 RBK	155	154	184	94	71	113	23	M5	4,8x6	5,5	1,0	1,0	146	61	72,5	5			FV SIE 080 0K 155 184
1LA7 090	90 RBK	172	174	208	108	90	118	18	M5	6x9	5,5	1,0	1,0	167	70	83,5	5			FV SIE 090 0K 172 208
1LA7 100	100 RBK	194	192	218	108	95	123	13	M5	6x9	6	1,0	1,0	185	77	92,5	5			FV SIE 100 0K 194 218
1LA7 112	112 RBK	219	216	236	122	107	129	15	M5	6x9	6	1,0	1,0	209	83	96,5	5			FV SIE 112 0K 219 236
1LA7 132	132 RBK	258	255	254	122	125	129	-3	M5	6x9	6	1,0	1,0	209	94	114,5	5			FV SIE 132 0K 258 254
1LA5/1LA7 160	160 S RBK	311	307	321	185	168	153	17	M6	7x14	6	1,5	1,5	275	111	75	25			FV SIE 160 0K 311 321

Abweichende Abmessungen (A, B, G) sowie Sonderausführungen lieferbar!

Different diameters (A, B, G), special versions available!

Possibilité de livrer différents longueurs (A, B, G) modèles 'hors série'!

Deviazione di misure (B,G) sono disponibili!

Diferencias de cotas (B,G) pueden ser entregadas!

Kurt Maier Motor-Press GmbH

Birkenweg 18 * D-37589 Kalefeld

☎ (05553) 99 01-0 * 📠 (05553) 49 67 * ✉ E-mail: wm@kmmp.de * <http://www.kmmp.de>



Fremdlüfteraggregat FBI, IP 66, Mb. 1K SIE

Forced Ventilation Unit FBI, IP 66, drw. 1K SIE

Ventilation Forcée FBI, IP 66, dessin 1K SIE


Gruppi per ventilazione assistita FBI, IP 66, disegno 1K SIE

Grupo de ventilación asistida FBI, IP 66, diseño 1K SIE

Siemens

1LA4 / 5 / 6 Bg. 200 – 400 RBK

Stand: Juli 04



Abmessungen / Dimensions / Côtes / Dimensioni / Cotas

Baugröße Frame size Hauteur d'axe Grandezza Medelo	FBI Type FBI Type FBI Tipo	Az Ø	Ah Ø	B	Bz	C	D	M	E Ø (LL)	F Ø (LL)	G	Gr	Hh	Hz	I Ø	K	X	Artikel-Nr. Item number Numéro d'article No. articolo No. articula
1LA4 200	200-4 RBK	380	382	457	279	210	247	69	M6	7x14	55	25	1,5	1,5	295	140	105	FV SIE 200 1K 380 457
1LA4 225	225-4 RBK	440	430	354	162	110	244	52	M6	8,8	10	25	1,5	1,5	295	150	115	FV SIE 225 1K 440 354
1LA4 250	225-4 RBK	470	430	434	242	190	244	52	M6	8,8	10	25	1,5	1,5	295	150	115	FV SIE 250 1K 470 434
1LA4 280	250-4 RBK	520	477	434	214	125	309	89	M8	10	12	25	1,5	2	400	174	135	FV SIE 280 1K 520 434
1LA4 315	280-4 RBK	580	533	430	192	130	300	62	M8	9	10	25	1,5	2	400	189	150	FV SIE 315 1K 580 430
1LA6 200	200-4 RBK	386	382	469	291	222	247	69	M6	8,8	12	25	1,5	1,5	295	140	105	FV SIE 200 1K 386 469
1LA5 225	200-4 RBK	386	382	447	269	200	247	69	M6	7x14	55	25	1,5	1,5	295	140	105	FV SIE 225 1K 386 447
1LA6 225	225-4 RBK	431	430	472	280	228	244	52	M6	8,8	12	25	1,5	1,5	295	150	115	FV SIE 225 1K 431 472
1LA6 250	250-4 RBK	481	477	561	341	252	309	89	M8	8,8	14	25	1,5	2	400	174	135	FV SIE 250 1K 481 561
1LA6 280	280-4 RBK	531	533	559	321	259	300	62	M8	8,8	16	25	1,5	2	400	189	150	FV SIE 280 1K 531 559
1LA6 315	315-4 RBK	596	597	567	310	270	297	40	M8	9,8	16	25	1,5	2	400	207	170	FV SIE 315 1K 596 567
1LA6 355	315-4 RBK	670	597	620	363	323	297	40	M8	12	18	25	1,5	2	400	207	170	FV SIE 355 1K 670 620
1LA6 400	355-4 RBK	750	691	648	410	340	308	70	M8	12	20	25	1,5	2	400	193	150	FV SIE 400 1K 750 648

Abweichende Abmessungen (A, B, G) sowie Sonderausführungen lieferbar!

Different diameters (A, B, G), special versions available!

Possibilité de livrer différents longueurs (A, B, G) modèles 'hors série'!

Deviazione di misure (B,G) sono disponibili!

Diferencias de cotas (B,G) pueden ser entregadas!

Kurt Maier Motor-Press GmbH

Birkenweg 18 * D-37589 Kalefeld

☎ (05553) 99 01-0 * 📠 (05553) 49 67 * ✉ E-mail: wm@kmmp.de * <http://www.kmmp.de>



Fremdlüfteraggregat FBI, IP 66, Mb. 1K Siemens

Forced Ventilation Unit FBI, IP 66, drw. 1K Siemens

Ventilation Forcée FBI, IP 66, dessin 1K Siemens




Gruppi per ventilazione assistita FBI, IP 66, disegno 1K Siemens

Grupo de ventilación asistida FBI, IP 66, diseño 1K Siemens

Siemens

1LA8 Bg. 315 – 400 RBK

Stand: Aug. 08



Abmessungen / Dimensions / Côtes / Dimensioni / Cotas

Baugröße Frame size Hauteur d'axe Grandezza Medelo	FBI Type FBI Type FBI Tipo	Az Ø	Ah Ø	UM	MO	B	Bz	C	D	M	E Ø (LL)	F Ø (LL)	G	H _z	I Ø	K	X	Gr	So	Ra	Artikel-Nr. Item number Numéro d'article No. articolo No. articula
1LA8 315	315-4 RBK	672	597	309	336	613	356	316	297	40	M8	12	26	2	400	207	170	25	22	63	FV SIE 315 1K 672 613
1LA8 355	315-4 RBK	760	597	351	380	637	380	340	297	40	M8	12	25	2	400	207	170	25	-	-	FV SIE 355 1K 760 637
Zylindrische Ausführung																					
1LA8 315	315-4 RBK	672	597	309	336	643	386	316	327	70	M8	12	26	2	575	222	145	25	22	63	FV SIE 315 1K 672 643
1LA8 355	315-4 RBK	760	597	351	380	667	410	340	327	70	M8	12	25	2	575	222	145	25	-	-	FV SIE 355 1K 760 667
1LA8 400	355-4 RBK	820	691	380	410	718	475	385	333	90	M8	12	25	2,5	660	208	130	25	?	?	FV SIE 400 1K 820 718

Abweichende Abmessungen (A, B, G) sowie Sonderausführungen lieferbar!
Possibilità de livrer differents longueurs (A, B, G) modèles 'hors série!
Diferencias de cotas (B,G) pueden ser entregadas!

Different diameters (A, B, G), special versions available!
Deviazione di misure (B,G) sono disponibili!

Kurt Maier Motor-Press GmbH

Birkenweg 18 * D-37589 Kalefeld

☎ (05553) 99 01-0 * 📠 (05553) 49 67 * ✉ E-mail: wm@kmmp.de * <http://www.kmmp.de>

